



STORMWATER UTILITY CONSTRUCTION SITE EROSION CONTROL REQUIREMENTS

NOTE: EROSION CONTROL MEASURES ARE REQUIRED. THIS SHALL BE INSTALLED PRIOR TO EXCAVATING OR A STOP WORK ORDER WILL BE ISSUED.

All construction site activity in the City of Saint Peter shall include the necessary precautions to control and mitigate the erosion of soil, sediment, silt, gravel, or other material onto adjacent roadways and properties. The Property Owner and/or Permit Holder for the construction site shall be responsible for complying with the requirements set forth below, including activities by subcontractors, suppliers, or others involved with the construction project. The list represents minimum requirements for all sites – larger projects or projects located on erosion prone or erosion sensitive sites may be subject to additional measures at the discretion of the Building Department or the Stormwater Utility.

1. Construction sites will be required to install erosion control measures. Construction site exits must have a rock entrance that meets or exceeds Standard Detail Plate No: 3005 or an alternative approved in advance by the Public Works Director. Silt fence shall be installed in compliance with Standard Detail Plate No: 3003 and/or 3004 to protect the adjacent properties and be maintained until all lawn or landscaping is installed.
2. The MPCA has determined that all areas disturbed by excavation and backfilling operations which exposed soil must be stabilized no later than 7 days after the construction activity in that portion of the site has temporarily or permanently ceased.
3. All materials, tracked or otherwise deposited on roadways adjacent to a construction site or on roadways being used as haul routes for material being delivered to or removed from a site, shall be cleaned daily, unless more frequent cleaning is required by the Stormwater Utility.
4. All material, which is deposited on adjacent roadways as a result of a precipitation event, shall be removed, including the cleaning of storm sewer or overland drainage ditches, within 24 hours following the event.
5. Should the Property Owner/Permit Holder fail to provide adequate erosion and sediment control or to clean the material from the roadway as needed/directed the following steps may be taken:
 - a. A Field Compliance Order or Notice of Violation will be issued.
 - b. If the problem still exists and is not corrected in the timeframe indicated in the Field Compliance Order or Notice of Violation, the City may make provisions to perform corrective action. All costs incurred by the City for said corrective action shall be billed to the Property Owner/Permit Holder.
 - c. No inspections shall be done and a Certificate of Occupancy will not be issued until such time as payment(s) for the work have been made.
 - d. Issuance of additional permits to the Permit Holder for other construction projects within the City of Saint Peter will be withheld until such time as corrective action is completed.

I, _____, the Property Owner/Permit Holder for the construction activity taking
Name

place at _____ in the City of Saint Peter declares that I have read,
Address

Understood, and will abide by the conditions listed above regarding Erosion Control on this project.

Signed

Date

Telephone Number