

CATEGORY 3
EROSION CONTROL BLANKET

4"x4" TRENCH BACKFILLED
OVER EROSION CONTROL
BLANKET

12' MINIMUM
BLANKETS MUST
OVERLAP BY 4"

POINT 'B'
POINT 'A'

FLOW

6"-7"Ø STRAW OR WOOD FIBER
ROLL ENCLOSED IN PLASTIC
OR POLYESTER NETTING

8", 11ga STAPLES
SPACED 1'-0" ON CENTER

NOTE:

POINT 'A' MUST BE 1'-0" MINIMUM HIGHER THAN
POINT 'B' TO ENSURE THAT WATER FLOWS OVER
THE DIKE AND NOT AROUND THE ENDS.

2"x2"x18" LONG WOODED
STAKES AT 2'-0" SPACING
DRIVE THROUGH NETTING
AND FIBER ROLL

BIOROLL BLANKET SYSTEM

NOT TO SCALE

PLATE 3021

BIOROLL BLANKET SYSTEM

STANDARD DETAIL
PLATE NO:
3021

APPROVED: ADOPTED BY CITY COUNCIL ON MARCH 08, 2004

REVISED:

REMARKS:

SAINT PETER UTILITY STANDARD DETAIL



Y:\STPE\3021stpe.dwg 01-30-2007 11:35 am